

# Cable ties 22HD for chemically aggressive environments



*Specialists in cable ties*






[www.unex.net](http://www.unex.net)



# Cable ties 22HD in **U71X**

## For chemically aggressive environments


- Cable ties for installations in chemically aggressive environments. Good performance when exposed to acids.
- For indoor and outdoor installations, with good resistance to UV.
- Classification acc./IEC 62275:
  - Type I: Widths 2.5 mm and 3.6 mm
  - Type II: Widths 4.8 mm and 7.6 mm



## Characteristics of cable ties 22HD in **U71X**

Resistance to traction (loop tensile strength)

Cable tie reference	2221HD	2233HD	2244HD	2247HD	2272HD	2273HD
Strength N	80	130	220	220	530	530



## Added value product



Unex cable ties, with smooth, easy threading, can be quickly and effortlessly hand locked. Tip design that prevents damage to installer's hands.



Proprietary material, stabilised for outdoor use and resistant to most chemical elements. Application temperature: -60°C to +85°C









Product marked for better identification. The quality of the Unex cable ties is accredited by the most demanding quality marks.









See updated information of each part number and sizes on [www.unex.net](http://www.unex.net)

# Cable ties 22HD en **U71X**

 1:1	Width 2.5 mm	Cable tie dimensions (width x length)	
		2,5x101	
 Colour black 		<b>2221HD</b>	

 1:1	Width 3,6 mm	Cable tie dimensions (width x length)	
		3,6x142	
 Colour black 		<b>2233HD</b>	

 1:1	Width 4,8 mm	Cable tie dimensions (width x length)	
		4,8x188	4,8x287
 Colour black 	<b>Cable ties for chemically aggressive environments.</b> Stabilised for outdoor use.	<b>2244HD</b>	<b>2247HD</b>

 1:1	Width 7,6 mm	Cable tie dimensions (width x length)	
		7,6x299	7,6x376
 Colour black 	<b>Cable ties for chemically aggressive environments.</b> Stabilised for outdoor use.	<b>2272HD</b>	<b>2273HD</b>

Note: Due to the various factors affecting the performance of the cable ties when exposed to chemical agents (concentration, temperature, UV radiation, mounting method, etc.), the particular environments of certain installations should be individually studied with a specific test.

**NEW**

[www.unex.net](http://www.unex.net)



#### Germany

**Unex Kabelsysteme und -elemente GmbH**  
Am Wallgraben 100  
DE-70565 Stuttgart (Vaihingen)  
Phone: +49 711 78 19 35 30  
Fax: +49 711 78 19 35 59  
e-mail: stuttgart@unex.net  
Branch office: Ratingen

#### France

**Unex systèmes et éléments, S.A.S.**  
Parc Technologique  
3 place Berthe MORISOT  
69791 Saint Priest Cedex  
Phone: +33 4 78 43 69 55  
Fax: +33 4 78 43 71 99  
e-mail: unex@unex.fr  
Branch offices: Aix en Provence, Lyon, Nantes, Paris, Strasbourg

#### Italy

**Unex sistemi ed elementi, srl.**  
Viale Enrico Forlanini 23  
20134 Milano  
Phone: +39 02 8732 3153  
e-mail: italia@unex.net

#### Spain

**Unex aparellaje eléctrico, S.L.**  
Rafael Campalans, 15-21  
08903 L'Hospitalet de Llobregat  
Barcelona (Spain)  
Phone: +34 93 333 87 00  
Fax: +34 93 333 56 58  
e-mail: international@unex.net  
Branch offices: A Coruña, Barcelona, Bilbao, Gijón, Las Palmas, Madrid, Mallorca, Murcia, Sevilla, Tenerife, Valencia, Valladolid, Zaragoza

R.M. de Barcelona, T.32709, F.81,  
H. B214578 VAT. ES B62204011

#### Portugal

**Retrica Aparelhagem Eléctrica, Lda.**  
Rua Soeiro Pereira Gomes,  
Lote 1, 4º C  
1600-196 Lisbon  
Phone: +351 21 781 64 20  
Fax: +351 21 781 64 29  
e-mail: unex@unex.pt  
Branch office: Porto

#### Chile

**Unex aparellaje eléctrico Chile Ltda.**  
Centro Empresas "El Cortijo"  
Av. Américo Vespucio Norte  
2680, Of. 27  
C.P. 8551378 - Conchalí  
Santiago - Región Metro-  
politana  
Phone: +56 (2) 2623 49 81  
Fax: +56 (2) 2624 15 73  
e-mail: unex@unex.cl



Our quality management system complies with the requirements of UNE-EN ISO 9001: 2008 for the design, production and commercialization of **Unex Systems**.

**Unex aparellaje eléctrico, S.L.**, as a policy, patents its products.  
Own design and production. **Unex aparellaje eléctrico, S.L.** does not manufacture for other trademarks.

**Unex** is a registered trademark of Unex aparellaje eléctrico, S.L.  
© Unex aparellaje eléctrico, S.L., 2017

KMA138EN0.0 February 2017

Unex aparellaje eléctrico, S.L. reserves the right to modify any of the characteristics of the products that it manufactures. It is the responsibility of the person in charge of product selection for a specific application to look for the right product, according to the standards applicable in every country. Unex aparellaje eléctrico S.L. disclaims all responsibility due to incorrect use of the product or to unforeseen circumstances.