



Cable conduction  
system for  
HVAC


# Trunking

# 31

raw material  
colour

**U23X**

White



## For fixing and connecting pipes in split type air conditioning systems

- Innovative design that facilitates the handling of pipes and speeds up the air conditioning system assembly process.
- Solid mounting bases that make the system more secure.
- Robust, rectilinear-shaped system that guarantees an aesthetically pleasing, durable finishing.
- Paintable.
- Film protected.


### Raw material


**U23X** Trunking  
**U24X** Fittings

Compliant 

### Technical characteristics

Length
<b>2 m</b>
Colour
<b>White</b>
<b>RAL 9010</b>


<b>Power electrical safety</b>

<b>EN 50085-2-1</b>
Insulating
No earthing required

<b>Service temperature</b>

<b>+60°C</b>
<b>-5°C</b>
<b>EN 50085-2-1</b>

## Two assembly systems to choose from, depending on the base


### Detachable strip for HVAC with pre-cuts

- Freedom to choose the length of the base without the need to cover the whole wall section.
- Easy to measure and align the sections without using tools.
- Good finishing system, that it absorbs the wall unevenness.



### Single base plate for HVAC

- A solid piece for each cover width, which ensures system robustness.
- No need to alter or cut the base to install it.
- Fast assembly, because the base is directly positioned on the wall following the straight level line marked previously on the wall.



### C-shape cover for HVAC

- Rectilinear design that integrates with the construction elements, giving the system a nice finishing.
- Its rigidity ensures good anchoring to the base and prevents deformations.
- A single part number for the two types of base.



### Fittings



- Robust, single piece design, assembled above the cover, hiding the cuts.
- Greater length of the fittings to better adapt to the cover and absorb the wall unevenness.
















## Easy to install pipes and cables

---

- Possibility of choosing the most suitable Unex cable tie dimension, up to 7.6 mm width, ensuring the anchoring of pipes and cables.
- The base slots allow new cable ties to be placed without disassembling material already installed.
- The fastening of pipes and cables is completely independent.



# Trunking 31 for HVAC: Part numbers

	Trunking sizes (mm)	45x75	60x100
	Grey RAL 7035 (ref. 31XXX-04) White RAL 9010 (ref. 31XXX-02)		
	<b>Detachable strip</b> L = 2m	<b>31075-04</b>	<b>31100-04</b>
	<b>Single base plate</b>	<b>31175-04</b>	<b>31101-04</b>
	<b>C-shape cover</b> L = 2m	<b>31021-02</b>	<b>31033-02</b>
	<b>Flat angle</b>	<b>31221-02</b>	<b>31233-02</b>
	<b>External angle</b>	<b>31271-02</b>	<b>31283-02</b>
	<b>Internal angle</b>	<b>31321-02</b>	<b>31333-02</b>
	<b>Joint cover piece</b>	<b>31521-02</b>	<b>31533-02</b>
	<b>T-joint</b>	-	<b>31433-02</b>
	<b>Wall bend duct</b>	<b>31610-02</b>	<b>31623-02</b>
	<b>Wall duct</b>	<b>31670-02</b>	<b>31683-02</b>
	<b>End cover</b>	<b>31371-02</b>	<b>31383-02</b>



[www.unex.net](http://www.unex.net)

Complete stock and reliable delivery through **our world-wide distribution network**

## Germany

**Unex Kabelsysteme und -elemente GmbH**  
Am Wallgraben 100  
70565 Stuttgart  
Phone: +49 711 78 19 35 30  
e-mail: [vertrieb@unex.net](mailto:vertrieb@unex.net)

## France

**Unex systèmes et éléments, S.A.S.**  
Parc Technologique  
3 place Berthe Morisot  
69791 Saint Priest Cedex  
Phone: +33 4 78 43 69 55  
e-mail: [unex@unex.fr](mailto:unex@unex.fr)

## Italy

**Unex sistemi ed elementi, srl.**  
Viale Enrico Forlanini 23  
20134 Milano  
Phone: +39 02 8732 3153  
e-mail: [commerciale@unex.net](mailto:commerciale@unex.net)

## Portugal

**Retrica Aparelhagem Eléctrica, Lda.**  
Rua Soeiro Pereira Gomes, Lote 1, 4º C  
1600-196 Lisbon  
Phone: +351 21 781 64 20  
e-mail: [unex@unex.pt](mailto:unex@unex.pt)

## Spain

**Unex aparellaje eléctrico, S.L.**  
Rafael Campalans, 15-21  
08903 L'Hospitalet de Llobregat  
Phone: +34 93 333 87 00  
e-mail: [international@unex.net](mailto:international@unex.net)  
R.M. de Barcelona, T.32709, F.81,  
H. B214578 VAT. ES B62204011

## Chile

**Unex aparellaje eléctrico Chile Ltda.**  
Centro Empresas "El Cortijo"  
Av. Américo Vespucio Norte  
2680, Of. 27  
C.P. 8551378 - Conchalí  
Santiago  
Región Metropolitana  
Phone: +56 2 2623 49 81  
e-mail: [unex@unex.cl](mailto:unex@unex.cl)

## México

**Unex Solutions México S. de R.L. de C.V.**  
Avda. Santa Fe 170  
Piso 6, Unidad 6-1-01  
Col. Lomas de Santa Fe  
Delegación Álvaro Obregón  
001219 Ciudad de México  
e-mail: [ventas@unex.com.mx](mailto:ventas@unex.com.mx)

**Unex aparellaje eléctrico, S.L.**, as a policy, patents its products. Own design and production. **Unex aparellaje eléctrico, S.L.** does not manufacture for other trademarks.

Unex is a registered trademark of **Unex aparellaje eléctrico, S.L.**  
© **Unex aparellaje eléctrico, S.L., 2018**

Unex aparellaje eléctrico, S.L. reserves the right to modify any of the characteristics of the products that it manufactures. It is the responsibility of the person in charge of product selection for a specific application to look for the right product, according to the standards applicable in every country. Unex aparellaje eléctrico S.L. disclaims all responsibility due to incorrect use of the product or to unforeseen circumstances.