



Specialists in cable ties

Cable ties 22 HD

raw material

U71X

colour

Black



www.unex.net

AVAILABLE
IN STOCK

22

U71X
Black

Cable ties HD





Cable ties 22HD in **U71X**

For chemically environments

- Cable ties for installations in chemically environments. Good performance when exposed to acids.
- For indoor and outdoor installations, with good resistance to UV.

Classification acc./IEC 62275:

- Type I: Widths 2.5 mm and 3.6 mm
- Type II: Widths 4.8 mm and 7.6 mm



Characteristics of cable ties 22HD in **U71X**

Resistance to traction (loop tensile strength)

| Cable tie reference | 2221HD | 2233HD | 2244HD | 2247HD | 2272HD | 2273HD |
|---------------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| Strength | 80 N 8,16 kg | 130 N 13,6 kg | 220 N 22,6 kg | 220 N 22,6 kg | 530 N 54,4 kg | 530 N 54,4 kg |

Added value product

For high moisture, corrosive (dilute acids) and low temperature indoor and outdoor installations, where a good mechanical resistance is required.

The Cable ties 22HD are commonly used in chemical and petrochemical industries and also in the food industry, in the closed production processes of liquid products (baby food jars and juices line, milk drink products line, bottled water line), where the cleaning products used are highly corrosive.

- Resistant to chemical environments in outdoor installations
- Resistant to UV rays
- Good performance at low temperatures
- Good mechanical strength
- Own formulation of the raw material



Easy mounting and smooth threading

Unex cable ties are easy to thread, allowing quick and effortless manual assembly. Finger-friendly rounded ends.



Inside teeth

Inside flush teeth, assuring tightening and protecting the cable jacket.

Certified system









The quality of Unex solutions is guaranteed by the strict accomplishment of product and application standards, as well as by obtaining quality marks and approvals.



22 **U71X**
Black

Cable ties HD

Cable ties 22HD

| | | | |
|---|---|---|----------------------|
|  <p>Width 2,5 mm 1:1</p> | | <p>Cable ties sizes (width x length) 2,5x101</p> | |
|  <p>U71X Black</p> | <p>Cable ties for chemical environments Weather-stabilized</p> | <p>2221HD</p> | |
|  <p>Width 3,6 mm 1:1</p> | | <p>Cable ties sizes (width x length) 3,6x142</p> | |
|  <p>U71X Black</p> | <p>Cable ties for chemical environments Weather-stabilized</p> | <p>2233HD</p> | |
|  <p>Width 4,8 mm 1:1</p> | | <p>Cable ties sizes (width x length) 4,8x188 4,8x287</p> | |
|  <p>U71X Black</p> | <p>Cable ties for chemical environments Weather-stabilized</p> | <p>2244HD</p> | <p>2247HD</p> |
|  <p>Width 7,6 mm 1:1</p> | | <p>Cable ties sizes (width x length) 7,6x299 7,6x376</p> | |
|  <p>U71X Black</p> | <p>Cable ties for chemical environments Weather-stabilized</p> | <p>2272HD</p> | <p>2273HD</p> |

Note: Due to the various factors affecting the performance of the cable ties when exposed to chemical agents (concentration, temperature, UV radiation, mounting method, etc.), the particular environments of certain installations should be individually studied with a specific test.

www.unex.net

Complete stock and reliable delivery through **our world-wide distribution network**



PERSONALIZED TECHNICAL ASSISTANCE

✉ technical.assistance@unex.net

CUSTOMER SERVICE

✉ international@unex.net

Germany

Unex Kabelsysteme und -elemente GmbH
Am Wallgraben 100
70565 Stuttgart
Phone: +49 711 78 19 35 30
e-mail: vertrieb@unex.net

Portugal

Retrica Aparelhagem Eléctrica, Lda.
Rua Soeiro Pereira Gomes,
Lote 1, 4º C
1600-196 Lisbon
Phone: +351 21 781 64 20
e-mail: unex@unex.pt

Italy

Unex sistemi ed elementi, S.R.L.
Viale Enrico Forlanini 23
20134 Milano
Phone: +39 02 8732 3153
e-mail: commerciale@unex.net

Chile

Unex aparellaje eléctrico Chile Ltda.
Centro Empresas "El Cortijo"
Av. Américo Vespucio Norte 2680, Of. 27
C.P. 8551378 - Conchalí
Santiago - Región Metropolitana
Phone: +56 2 2623 49 81
e-mail: unex@unex.cl

France

Unex systèmes et éléments, S.A.S.
Parc Technologique
3 place Berthe Morisot
69791 Saint Priest Cedex
Phone: +33 4 78 43 69 55
e-mail: unex@unex.fr

Mexico

Unex Solutions México S. de R.L. de C.V.
Avda. Santa Fe 170
Piso 6, Unidad 6-1-01
Col. Lomas de Santa Fe
Delegación Álvaro Obregón
001219 Ciudad de México
e-mail: ventas@unex.com.mx

Spain

Unex aparellaje eléctrico, S.L.
Rafael Campalans, 15-21
08903 L'Hospitalet de Llobregat
Phone: +34 93 333 87 00
e-mail: unex@unex.net

R.M. de Barcelona, T.32709, F.81,
H. B214578 VAT. ES B62204011

Unex aparellaje eléctrico, S.L., as a policy, patents its products.
Own design and production. Unex aparellaje eléctrico, S.L. does not manufacture for other trademarks.
Unex is a registered trademark of Unex aparellaje eléctrico, S.L.

© Unex aparellaje eléctrico, S.L., 2019

Unex aparellaje eléctrico, S.L. reserves the right to modify any of the characteristics of the products that it manufactures.

It is the responsibility of the person in charge of product selection for a specific application to look for the right product, according to the standards applicable in every country.
Unex aparellaje eléctrico S.L. disclaims all responsibility due to incorrect use of the product or to unforeseen circumstances.